

Résultats Aubonne 2011

Nyon 2011

Final results

		Num,ros	FSB 1 /	FSB 2
1.	M Mme Duong	1722.5	61.34	/ 784
2.	B.Wettenschwiler / C.Margot	1711.6	60.95	3293 / 6989
3.	Mme C.Schopfer / O.La Spada	1660.0	59.12	7172 / 5555
4.	C.Thompson / J-B.Terrettaz-Girard	1651.2	58.80	2541 / 2525
5.	Mme D.Langer / H-H.Gwinner	1642.8	58.50	1554 / 1356
6.	Mme A.Haidorfer / D.Nikolenkov	1636.0	58.26	5040 / 5041
7.	M Mme J.Zinsli	1633.0	58.16	2854 / 5580
8.	Mmes D.Duvillaret / D.Descombes	1594.3	56.78	790 / 704
9.	D.Mossop / G.Zivkovic	1584.3	56.42	/ 2855
10.	Mme D.Mumtas / D.Pahud	1579.4	56.25	2952 / 1982
11.	Mmes G.Maurer / R.Kohler	1579.1	56.24	1723 / 1481
12.	J-P.Derivaz / F.Aubry	1565.0	55.73	700 / 84
13.	M Mme Bonvallot	1557.0	55.45	
14.	M.Aminian / B.Abouchanab	1542.3	54.93	44 / 3270
15.	J-J.Dousse / F.Stoeckli	1541.6	54.90	788 / 2465
16.	Mme Chr.Farina / V.Petkov	1540.7	54.87	3606
17.	Mmes A.Krayenbhl / Ch.Janzer	1534.0	54.63	5435 / 5790
18.	Mmes A.Fierz / I.Saesseli	1527.0	54.38	879 / 3768
19.	Mme M.Schoenwald / F.Piedra	1524.5	54.29	/ 4601
20.	R.Kienast / Chr.Catzeflis	1520.4	54.15	1451 / 498
21.	Mmes A.Mathieu / E.Barbe	1520.0	54.13	1713 / 129
22.	M Mme Innocentini	1500.8	53.45	1342 / 4454
23.	Mme M.Gerstel / A.Fettes	1496.3	53.29	1029 / 5153
24.	G.Calati / J-P.Mathieu	1493.9	53.20	479 / 1714
25.	Mmes M.Cailler / M.Jevean	1493.8	53.20	567 / 1391
26.	Mme M.Yarasir / M.Bricod	1482.4	52.79	3894 / 375
27.	Mme S.Janzer / M.Sasselli	1476.7	52.59	6735 / 2251
28.	Mme S.Bruand / F.Didisheim	1464.5	52.15	385 / 720
29.	Mmes C.Edgar / Chr.Miles	1463.8	52.13	6839
30.	Mme M.Dustour / M-H.Prêtre	1463.5	52.12	6027 / 5159
31.	G.Charmillot / F.Muller	1461.7	52.05	524 / 1882
32.	D.Amiguët / J.Amiguët	1452.5	51.73	42 / 7985
33.	Mmes Chr.Thompson / H.Grey	1447.5	51.55	2654 / 1222
34.	Mmes E.Hegi / M.Haug	1446.2	51.50	1221 / 1205
35.	Me E.Simha / B.Gaede	1440.0	51.28	2386
36.	P.Margot / F.Dick	1428.9	50.89	3921 / 6776
37.	Mme L.Howard / K.Hejjaj	1411.2	50.26	7051 / 6038
38.	Mmes A-L.Aubry / P.M,trailler	1405.2	50.04	/ 1769
39.	M Mme M.Graff	1403.1	49.97	8320 / 8321
40.	Mmes Y.Beaupain / J.Lugon	1402.0	49.93	4034 / 4038
41.	Mmes I.Duc / R.Loddens	1395.9	49.71	/ 3118
42.	Mmes G.Mikdashi / F.Collaros	1388.2	49.44	4626
43.	M.Pelichet / F.Mundler	1384.5	49.31	5466 / 3425
44.	G.Graber / R.Cabessa	1382.4	49.23	1094 / 463
45.	J.Chappuis / E.williamson	1382.1	49.22	518 / 2777
46.	Mme A.Hughes / M.Ulmer	1376.6	49.02	7872 / 7695
47.	Mme H.Weibel / U.Bachmann	1366.9	48.68	2724 / 4182
48.	B.Marmaziu / T.Macacu	1358.4	48.38	6502 / 8739
49.	M Mme E.Pasquier	1337.0	47.61	5513 / 5512
50.	Mme L.Favre / Y.Jonin	1334.4	47.52	1396 / 857
51.	Mme Chr.Martin / G.Gerlier	1329.7	47.35	1701 / 1028
52.	Mme E.Vittone / J-C.Moretti	1329.2	47.34	2660 / 1851
53.	Mmes J.Bruttin / M.Reynard	1321.0	47.04	408 / 7164
54.	J-M.Metrailler / J.Stoeckli	1313.6	46.78	8350 / 8372
55.	Mmes A.Mundler / A.Besseche	1310.1	46.66	2424 / 5715
56.	Mme K.Brgi-Silvani / K.Sethi	1292.5	46.03	6063 / 6461
57.	Mme D.Slatkine / D.Couvreu	1291.8	46.00	2398 / 588
58.	D.Boichat / J-C.Schwarz	1289.7	45.93	3510 / 3283
59.	Mme F-L.Matile / R.De Bluts	1289.6	45.93	3976
60.	M Mme A.Krause	1276.6	45.46	883 / 3307
61.	Mme N.Birstein / D.Bayandor	1274.7	45.40	/ 166
62.	Mmes N.Giobellina / D.Babel	1274.0	45.37	1045 / 92
63.	Mmes L.Hirsch / C.Pfister	1268.0	45.16	1264 / 2028

Résultats Aubonne 2011

64.	Mme F.Chappuis / J.Hofstetter	1268.0	45.16	5853 /	1288
65.	Mmes D.Fam, / D.Cl,venot	1252.3	44.60	5883 /	7935
66.	Mmes L.Fasel / L.Gehrig	1237.8	44.08	6835 /	6709
67.	M.Chatel / D.de Kerchove	1233.1	43.91	8560 /	8561
68.	Mme A.Roy / J-M.Grellet	1223.0	43.55	7195	
69.	I.Leitgib / A.Tissot	1222.8	43.55	1582 /	2545
70.	Mme M.Chantre / H.Lamouille	1221.7	43.51	3361	
71.	Mmes I.Kurzynska / N.Gourdou	1169.3	41.64	5034 /	5460
72.	Mmes C-L.Mongenot / I.Broccard	1135.6	40.44	7850 /	8572
73.	D.Clerc / J.Coste	1123.5	40.01	554 /	6382
74.	M Mme M.Chuffart	1093.4	38.94	8422 /	7696
75.	Mme L.Pont / G.Gendre	1047.9	37.32	8308 /	8314
76.	Mmes E.Meyer / M.Fabarez-Vogt	908.0	32.34	3641 /	6667

Results session : 1

				Num,ros	FSB 1 /	FSB 2
1.	B.Wettenschwiler / C.Margot	866.5	61.72		3293 /	6989
2.	Mme D.Mumtas / D.Pahud	863.0	61.47		2952 /	1982
3.	Mmes A.Mathieu / E.Barbe	860.0	61.25		1713 /	129
4.	Mme C.Schopfer / O.La Spada	852.0	60.68		7172 /	5555
5.	C.Thompson / J-B.Terrettaz-Girard	837.0	59.62		2541 /	2525
6.	R.Kienast / Chr.Catzeflis	832.5	59.29		1451 /	498
7.	M Mme Duong	832.5	59.29			784
8.	M Mme J.Zinsli	829.0	59.05		2854 /	5580
9.	Mmes A.Fierz / I.Saesseli	821.0	58.48		879 /	3768
10.	Mmes D.Duvillaret / D.Descombes	811.0	57.76		790 /	704
11.	G.Calati / J-P.Mathieu	811.0	57.76		479 /	1714
12.	Mmes E.Hegi / M.Haug	805.0	57.34		1221 /	1205
13.	Mme S.Bruand / F.Didisheim	801.0	57.05		385 /	720
14.	Mme D.Langer / H-H.Gwinner	799.5	56.94		1554 /	1356
15.	M Mme Bonvallot	797.0	56.77			
16.	J-J.Dousse / F.Stoeckli	795.0	56.62		788 /	2465
17.	Mmes G.Maurer / R.Kohler	787.0	56.05		1723 /	1481
18.	Mmes A.Krayenbhl / Ch.Janzer	783.0	55.77		5435 /	5790
19.	Mme N.Birstein / D.Bayandor	767.0	54.63			166
20.	J-P.Derivaz / F.Aubry	763.0	54.34		700 /	84
21.	M.Aminian / B.Abouchanab	760.0	54.13		44 /	3270
22.	Mme M.Yarasir / M.Bricod	760.0	54.13		3894 /	375
23.	Mme A.Haidorfer / D.Nikolenkov	746.0	53.13		5040 /	5041
24.	G.Graber / R.Cabessa	745.0	53.06		1094 /	463
25.	Mme K.Brgi-Silvani / K.Sethi	741.0	52.78		6063 /	6461
26.	Mme H.Weibel / U.Bachmann	740.0	52.71		2724 /	4182
27.	Mmes I.Duc / R.Loddens	730.5	52.03			3118
28.	D.Amiguet / J.Amiguet	730.0	51.99		42 /	7985
29.	Mmes M.Cailler / M.Jevean	730.0	51.99		567 /	1391
30.	Mmes A.Mundler / A.Besseche	727.0	51.78		2424 /	5715
31.	Mme M.Gerstel / A.Fettes	725.0	51.64		1029 /	5153
32.	Mme Chr.Farina / V.Petkov	724.0	51.57		3606	
33.	P.Margot / F.Dick	721.0	51.35		3921 /	6776
34.	J-M.Metrailler / J.Stoeckli	720.0	51.28		8350 /	8372
35.	M Mme A.Krause	710.0	50.57		883 /	3307
36.	Mme S.Janzer / M.Sasselli	708.0	50.43		6735 /	2251
37.	G.Charmillot / F.Muller	700.0	49.86		524 /	1882
38.	M Mme Innocentini	696.0	49.57		1342 /	4454
39.	B.Marmaziu / T.Macacu	694.5	49.47		6502 /	8739
40.	M.Pelichet / F.Mundler	694.0	49.43		5466 /	3425
41.	Mmes A-L.Aubry / P.M,trailler	693.5	49.39			1769
42.	Mmes D.Fam, / D.Cl,venot	692.5	49.32		5883 /	7935
43.	J.Chappuis / E.Williamson	692.0	49.29		518 /	2777
44.	Mmes Chr.Thompson / H.Grey	691.0	49.22		2654 /	1222
45.	Mmes G.Mikdashi / F.Collaros	684.0	48.72		4626	
46.	Mmes C.Edgar / Chr.Miles	680.5	48.47		6839	
47.	D.Mossop / G.Zivkovic	678.5	48.33			2855
48.	Mme M.Dustour / M-H.Pr^tre	674.0	48.01		6027 /	5159
49.	Mme M.Schoenwald / F.Piedra	674.0	48.01			4601
50.	Mme L.Howard / K.Hejjaj	671.0	47.79		7051 /	6038

### Résultats Aubonne 2011

51.	Mmes Y.Beupain / J.Lugon	667.0	47.51	4034 /	4038
52.	Mme F.Chappuis / J.Hofstetter	667.0	47.51	5853 /	1288
53.	Mme A.Hughes / M.Ulmer	666.0	47.44	7872 /	7695
54.	Mme Chr.Martin / G.Gerlier	663.0	47.22	1701 /	1028
55.	Mme E.Vittone / J-C.Moretti	657.5	46.83	2660 /	1851
56.	Mme A.Roy / J-M.Grellet	649.0	46.23	7195	
57.	M Mme E.Pasquier	646.0	46.01	5513 /	5512
58.	I.Leitgib / A.Tissot	639.0	45.51	1582 /	2545
59.	Mme L.Favre / Y.Jonin	637.0	45.37	1396 /	857
60.	Mmes C-L.Mongenot / I.Broccard	636.0	45.30	7850 /	8572
61.	Mmes J.Bruttin / M.Reynard	631.0	44.94	408 /	7164
62.	Mmes L.Hirsch / C.Pfister	630.0	44.87	1264 /	2028
63.	D.Boichat / J-C.Schwarz	622.0	44.30	3510 /	3283
64.	D.Clerc / J.Coste	615.0	43.80	554 /	6382
65.	Me E.Simha / B.Gaede	613.0	43.66	2386	
66.	M.Chatel / D.de Kerchove	603.0	42.95	8560 /	8561
67.	Mmes N.Giobellina / D.Babel	599.5	42.70	1045 /	92
68.	Mme D.Slatkine / D.Couvreur	599.5	42.70	2398 /	588
69.	Mme F-L.Matile / R.De Bluts	598.5	42.63	3976	
70.	Mmes I.Kurzynska / N.Gourdou	586.0	41.74	5034 /	5460
71.	M Mme M.Graff	562.0	40.03	8320 /	8321
72.	M Mme M.Chuffart	541.0	38.53	8422 /	7696
73.	Mme M.Chantre / H.Lamouille	528.0	37.61	3361	
74.	Mme L.Pont / G.Gendre	518.0	36.89	8308 /	8314
75.	Mmes L.Fasel / L.Gehrig	512.0	36.47	6835 /	6709
76.	Mmes E.Meyer / M.Fabarez-Vogt	420.0	29.91	3641 /	6667

Results session : 2

		Num,ros	FSB 1 /	FSB 2
1.	D.Mossop / G.Zivkovic	905.8	64.52	/ 2855
2.	M Mme Duong	890.0	63.39	/ 784
3.	Mme A.Haidorfer / D.Nikolenkov	890.0	63.39	5040 / 5041
4.	Mme M.Schoenwald / F.Piedra	850.5	60.58	/ 4601
5.	B.Wettenschwiler / C.Margot	845.1	60.19	3293 / 6989
6.	Mme D.Langer / H-H.Gwinner	843.3	60.06	1554 / 1356
7.	M Mme M.Graff	841.1	59.91	8320 / 8321
8.	Me E.Simha / B.Gaede	827.0	58.90	2386
9.	Mme Chr.Farina / V.Petkov	816.7	58.17	3606
10.	C.Thompson / J-B.Terrettaz-Girard	814.2	57.99	2541 / 2525
11.	Mme C.Schopfer / O.La Spada	808.0	57.55	7172 / 5555
12.	M Mme Innocentini	804.8	57.32	1342 / 4454
13.	M Mme J.Zinsli	804.0	57.26	2854 / 5580
14.	J-P.Derivaz / F.Aubry	802.0	57.12	700 / 84
15.	Mmes G.Maurer / R.Kohler	792.1	56.42	1723 / 1481
16.	Mme M.Dustour / M-H.Pr^tre	789.5	56.23	6027 / 5159
17.	Mmes D.Duvillaret / D.Descombes	783.3	55.79	790 / 704
18.	Mmes C.Edgar / Chr.Miles	783.3	55.79	6839
19.	M.Aminian / B.Abouchanab	782.3	55.72	44 / 3270
20.	Mme M.Gerstel / A.Fettes	771.3	54.94	1029 / 5153
21.	Mme S.Janzer / M.Sasselli	768.7	54.75	6735 / 2251
22.	Mmes M.Cailler / M.Jevean	763.8	54.40	567 / 1391
23.	G.Charmillot / F.Muller	761.7	54.25	524 / 1882
24.	M Mme Bonvallot	760.0	54.13	
25.	Mmes Chr.Thompson / H.Grey	756.5	53.88	2654 / 1222
26.	Mmes A.Krayenbhl / Ch.Janzer	751.0	53.49	5435 / 5790
27.	J-J.Dousse / F.Stoeckli	746.6	53.18	788 / 2465
28.	Mme L.Howard / K.Hejjaj	740.2	52.72	7051 / 6038
29.	Mmes Y.Beupain / J.Lugon	735.0	52.35	4034 / 4038
30.	Mmes L.Fasel / L.Gehrig	725.8	51.70	6835 / 6709
31.	D.Amiguët / J.Amiguët	722.5	51.46	42 / 7985
32.	Mme M.Yarasir / M.Bricod	722.4	51.45	3894 / 375
33.	Mme D.Mumtas / D.Pahud	716.4	51.03	2952 / 1982
34.	Mmes A-L.Aubry / P.M,trailler	711.7	50.69	/ 1769
35.	Mme A.Hughes / M.Ulmer	710.6	50.61	7872 / 7695
36.	P.Margot / F.Dick	707.9	50.42	3921 / 6776
37.	Mmes A.Fierz / I.Saesseli	706.0	50.28	879 / 3768
38.	Mmes G.Mikdashi / F.Collaros	704.2	50.16	4626

Résultats Aubonne 2011

39.	Mme L.Favre / Y.Jonin	697.4	49.67	1396	/	857
40.	Mme M.Chantre / H.Lamouille	693.7	49.41	3361		
41.	Mme D.Slatkine / D.Couvreu	692.3	49.31	2398	/	588
42.	Mme F-L.Matile / R.De Bluts	691.1	49.22	3976		
43.	M Mme E.Pasquier	691.0	49.22	5513	/	5512
44.	M.Pelichet / F.Mundler	690.5	49.18	5466	/	3425
45.	J.Chappuis / E.Williamson	690.1	49.15	518	/	2777
46.	Mmes J.Bruttin / M.Reynard	690.0	49.15	408	/	7164
47.	R.Kienast / Chr.Catzeflis	687.9	49.00	1451	/	498
48.	G.Calati / J-P.Mathieu	682.9	48.64	479	/	1714
49.	Mmes N.Giobellina / D.Babel	674.5	48.04	1045	/	92
50.	Mme E.Vittone / J-C.Moretti	671.7	47.84	2660	/	1851
51.	D.Boichat / J-C.Schwarz	667.7	47.56	3510	/	3283
52.	Mme Chr.Martin / G.Gerlier	666.7	47.49	1701	/	1028
53.	Mmes I.Duc / R.Loddens	665.4	47.39		/	3118
54.	B.Marmaziu / T.Macacu	663.9	47.29	6502	/	8739
55.	Mme S.Bruand / F.Didisheim	663.5	47.26	385	/	720
56.	Mmes A.Mathieu / E.Barbe	660.0	47.01	1713	/	129
57.	Mmes E.Hegi / M.Haug	641.2	45.67	1221	/	1205
58.	Mmes L.Hirsch / C.Pfister	638.0	45.44	1264	/	2028
59.	G.Graber / R.Cabessa	637.4	45.40	1094	/	463
60.	M.Chatel / D.de Kerchove	630.1	44.88	8560	/	8561
61.	Mme H.Weibel / U.Bachmann	626.9	44.65	2724	/	4182
62.	Mme F.Chappuis / J.Hofstetter	601.0	42.81	5853	/	1288
63.	J-M.Metrailler / J.Stoeckli	593.6	42.28	8350	/	8372
64.	I.Leitgib / A.Tissot	583.8	41.58	1582	/	2545
65.	Mmes I.Kurzynska / N.Gourdou	583.3	41.55	5034	/	5460
66.	Mmes A.Mundler / A.Besseche	583.1	41.53	2424	/	5715
67.	Mme A.Roy / J-M.Grellet	574.0	40.88	7195		
68.	M Mme A.Krause	566.6	40.36	883	/	3307
69.	Mmes D.Fam, / D.Cl,venot	559.8	39.87	5883	/	7935
70.	M Mme M.Chuffart	552.4	39.34	8422	/	7696
71.	Mme K.Brgi-Silvani / K.Sethi	551.5	39.28	6063	/	6461
72.	Mme L.Pont / G.Gendre	529.9	37.74	8308	/	8314
73.	D.Clerc / J.Coste	508.5	36.22	554	/	6382
74.	Mme N.Birstein / D.Bayandor	507.7	36.16		/	166
75.	Mmes C-L.Mongenot / I.Broccard	499.6	35.58	7850	/	8572
76.	Mmes E.Meyer / M.Fabarez-Vogt	488.0	34.76	3641	/	6667

Fréquences 1ère séance

Frequency Board: 1			Frequency Board: 2			Frequency Board: 3		
Score	Freq	Value	Score	Freq	Value	Score	Freq	Value
500	1	52.0	300	1	52.0	200	2	51.0
300	1	50.0	140	1	50.0	150	3	46.0
110	1	48.0	120	5	44.0	120	13	30.0
100	6	41.0	110	5	34.0	110	1	16.0
90	1	34.0	100	4	25.0	90	5	10.0
50	3	30.0	90	2	19.0	-50	1	4.0
-50	3	24.0	50	5	12.0	-110	2	1.0
-110	9	12.0	-70	1	6.0			
-150	1	2.0	-100	1	4.0	Total	27	702.0
-470	1	0.0	-110	1	2.0			
			-200	1	0.0			
Total	27	702.0	Total	27	702.0			

Frequency Board: 4			Frequency Board: 5			Frequency Board: 6		
Score	Freq	Value	Score	Freq	Value	Score	Freq	Value
170	1	52.0	790	2	51.0	200	14	39.0
110	3	48.0	650	1	48.0	100	8	17.0

90	1	44.0
-100	6	37.0
-130	1	30.0
-140	4	25.0
-170	7	14.0
-200	3	4.0
-300	1	0.0
Total	27	702.0

Résultats Aubonne 2011

620	6	41.0
300	2	33.0
170	1	30.0
140	3	26.0
100	2	21.0
50	1	18.0
-100	7	10.0
-200	2	1.0
Total	27	702.0

-110	2	7.0
-120	2	3.0
-150	1	0.0
Total	27	702.0

Frequence Board: 7

Score	Freq	Value
800	4	49.0
500	2	43.0
300	1	40.0
200	4	35.0
130	11	20.0
100	2	7.0
-200	3	2.0
Total	27	702.0

Frequence Board: 8

Score	Freq	Value
100	1	52.0
50	3	48.0
-420	2	43.0
-450	11	30.0
-480	6	13.0
-980	4	3.0
Total	27	702.0

Frequence Board: 9

Score	Freq	Value
200	2	51.0
110	6	43.0
100	2	35.0
80	1	32.0
0	3	28.0
-50	6	19.0
-100	4	9.0
-110	2	3.0
-120	1	0.0
Total	27	702.0

Frequence Board: 10

Score	Freq	Value
200	1	52.0
100	5	46.0
-200	1	40.0
-620	14	25.0
-650	6	5.0
Total	27	702.0

Frequence Board: 11

Score	Freq	Value
420	2	51.0
100	3	46.0
50	1	42.0
-50	7	34.0
-100	8	19.0
-130	1	10.0
-150	1	8.0
-300	4	3.0
Total	27	702.0

Frequence Board: 12

Score	Freq	Value
140	1	52.0
50	1	50.0
-90	1	48.0
-100	1	46.0
-120	13	32.0
-150	3	16.0
-200	5	8.0
-300	1	2.0
-400	1	0.0
Total	27	702.0

Frequence Board: 13

Score	Freq	Value
500	3	50.0
200	2	45.0
100	4	39.0
-600	8	27.0
-630	6	13.0
-730	1	6.0
-1100	2	3.0
-1400	1	0.0
Total	27	702.0

Frequence Board: 14

Score	Freq	Value
200	1	52.0
50	7	44.0
-100	2	35.0
-130	1	32.0
-150	1	30.0
-400	13	16.0
-430	1	2.0
-460	1	0.0
Total	27	702.0

Frequence Board: 15

Score	Freq	Value
150	1	52.0
100	3	48.0
50	11	34.0
-90	6	17.0
-100	3	8.0
-110	1	4.0
-120	1	2.0
-200	1	0.0
Total	27	702.0

## Résultats Aubonne 2011

### Frequence Board: 16

Score	Freq	Value
570	1	52.0
400	1	50.0
300	1	48.0
200	8	39.0
140	7	24.0
110	5	12.0
100	1	6.0
-50	3	2.0
<b>Total</b>	<b>27</b>	<b>702.0</b>

### Frequence Board: 17

Score	Freq	Value
630	1	52.0
590	1	50.0
450	1	48.0
420	6	41.0
170	1	34.0
-50	7	26.0
-100	9	10.0
-300	1	0.0
<b>Total</b>	<b>27</b>	<b>702.0</b>

### Frequence Board: 18

Score	Freq	Value
200	1	52.0
150	2	49.0
140	4	43.0
110	1	38.0
100	2	35.0
90	1	32.0
50	3	28.0
-90	5	20.0
-100	4	11.0
-120	1	6.0
-150	1	4.0
-200	2	1.0
<b>Total</b>	<b>27</b>	<b>702.0</b>

### Frequence Board: 19

Score	Freq	Value
300	1	52.0
200	1	50.0
170	2	47.0
140	13	32.0
110	1	18.0
100	1	16.0
-50	1	14.0
-100	1	12.0
-130	4	7.0
-150	1	2.0
-750	1	0.0
<b>Total</b>	<b>27</b>	<b>702.0</b>

### Frequence Board: 20

Score	Freq	Value
790	3	50.0
650	1	46.0
620	3	42.0
-100	6	33.0
-200	2	25.0
-650	3	20.0
-680	7	10.0
-850	2	1.0
<b>Total</b>	<b>27</b>	<b>702.0</b>

### Frequence Board: 21

Score	Freq	Value
150	4	49.0
100	6	39.0
50	8	25.0
-110	3	14.0
-120	4	7.0
-400	2	1.0
<b>Total</b>	<b>27</b>	<b>702.0</b>

### Frequence Board: 22

Score	Freq	Value
500	1	52.0
400	2	49.0
300	2	45.0
200	2	41.0
110	1	38.0
100	2	35.0
-50	5	28.0
-100	5	18.0
-110	1	12.0
-130	2	9.0
-150	1	6.0
-500	1	4.0
-710	1	2.0
-800	1	0.0
<b>Total</b>	<b>27</b>	<b>702.0</b>

### Frequence Board: 23

Score	Freq	Value
100	7	46.0
-620	8	31.0
-650	11	12.0
-1430	1	0.0
<b>Total</b>	<b>27</b>	<b>702.0</b>

### Frequence Board: 24

Score	Freq	Value
150	1	52.0
120	6	45.0
-50	18	21.0
-100	2	1.0
<b>Total</b>	<b>27</b>	<b>702.0</b>

Résultats Aubonne 2011

Frequence Board: 25

Score	Freq	Value
300	1	52.0
200	1	50.0
130	2	47.0
110	4	41.0
100	2	35.0
90	2	31.0
-50	4	25.0
-100	8	13.0
-130	1	4.0
-150	1	2.0
-200	1	0.0
Total	27	702.0

Frequence Board: 26

Score	Freq	Value
990	1	52.0
680	12	39.0
650	2	25.0
500	4	19.0
300	1	14.0
200	4	9.0
100	2	3.0
-140	1	0.0
Total	27	702.0

Frequence Board: 27

Score	Freq	Value
100	3	50.0
50	1	46.0
-90	1	44.0
-120	1	42.0
-150	3	38.0
-180	4	31.0
-210	4	23.0
-400	4	15.0
-430	4	7.0
-460	2	1.0
Total	27	702.0

Frequence Board: 28

Score	Freq	Value
200	1	52.0
150	1	50.0
100	2	47.0
50	9	36.0
-400	1	26.0
-420	1	24.0
-430	1	22.0
-450	2	19.0
-480	1	16.0
-980	7	8.0
-1210	1	0.0
Total	27	702.0

Frequence Board: 29

Score	Freq	Value
1370	1	52.0
660	3	48.0
630	7	38.0
600	7	24.0
110	1	16.0
-100	7	8.0
-300	1	0.0
Total	27	702.0

Frequence Board: 30

Score	Freq	Value
300	1	52.0
150	1	50.0
140	4	45.0
120	1	40.0
110	2	37.0
100	4	31.0
90	2	25.0
50	3	20.0
-50	3	14.0
-80	2	9.0
-90	1	6.0
-100	1	4.0
-110	1	2.0
-150	1	0.0
Total	27	702.0

Frequence Board: 31

Score	Freq	Value
150	2	50.0
100	1	45.5
-130	4	38.0
-150	2	29.0
-400	2	23.0
-420	2	17.0
-450	1	12.5
-480	2	8.0
-500	1	3.5
-1100	1	0.5
Total	18	468.0

Frequence Board: 32

Score	Freq	Value
100	6	47.0
-50	1	40.0
-100	1	38.0
-140	7	30.0
-170	2	21.0
-200	1	18.0
-300	1	16.0
-620	4	11.0
-650	3	4.0
-680	1	0.0
Total	27	702.0

Frequence Board: 33

Score	Freq	Value
500	1	52.0
420	6	45.0
300	1	38.0
170	4	33.0
140	3	26.0
110	1	22.0
100	1	20.0
90	1	18.0
-50	6	11.0
-100	2	3.0
-300	1	0.0
Total	27	702.0

Frequence Board: 34

Frequence Board: 35

Frequence Board: 36

Résultats Aubonne 2011

Score	Freq	Value
100	3	50.0
50	2	45.0
-100	2	41.0
-110	6	33.0
-130	4	23.0
-150	2	17.0
-200	1	14.0
-300	1	12.0
-400	2	9.0
-430	3	4.0
-800	1	0.0
Total	27	702.0

Score	Freq	Value
100	1	52.0
-500	1	50.0
-620	5	44.0
-650	14	25.0
-680	4	7.0
-690	1	2.0
-1430	1	0.0
Total	27	702.0

Score	Freq	Value
680	1	52.0
650	3	48.0
630	1	44.0
620	11	32.0
600	2	19.0
170	1	16.0
150	1	14.0
140	1	12.0
-100	5	6.0
-200	1	0.0
Total	27	702.0

Frequence Board: 37

Score	Freq	Value
100	1	51.5
-430	6	41.0
-460	5	24.5
-490	5	9.5
-920	1	0.5
Total	18	468.0

Frequence Board: 38

Score	Freq	Value
450	2	50.0
420	1	45.5
-50	9	30.5
-100	4	11.0
-140	1	3.5
-670	1	0.5
Total	18	468.0

Frequence Board: 39

Score	Freq	Value
650	1	51.5
620	3	45.5
600	2	38.0
170	2	32.0
150	3	24.5
130	1	18.5
-100	5	9.5
-300	1	0.5
Total	18	468.0

Fréquences 2ème séance

Frequence Board: 1

Score	Freq	Value
430	7	46.0
400	6	33.0
300	1	26.0
200	1	24.0
180	1	22.0
170	1	20.0
150	1	18.0
140	2	15.0
120	1	12.0
110	1	10.0
-50	3	6.0
-100	2	1.0
Total	27	702.0

Frequence Board: 2

Score	Freq	Value
630	16	37.0
600	2	19.0
130	3	14.0
110	1	10.0
-100	3	6.0
-170	1	2.0
-200	1	0.0
Total	27	702.0

Frequence Board: 3

Score	Freq	Value
200	1	52.0
140	7	44.0
110	1	36.0
100	5	30.0
-50	2	23.0
-100	2	19.0
-140	8	9.0
-300	1	0.0
Total	27	702.0

Frequence Board: 4

Score	Freq	Value
660	1	52.0
630	1	50.0
600	4	45.0

Frequence Board: 5

Score	Freq	Value
800	1	52.0
630	1	50.0
500	2	47.0

Frequence Board: 6

Score	Freq	Value
90	2	51.0
-50	12	37.0
-100	13	12.0

Résultats Aubonne 2011

500	1	40.0	150	4	41.0	Total	27	702.0
200	1	38.0	130	5	32.0			
180	1	36.0	100	10	17.0			
150	6	29.0	50	1	6.0			
130	5	18.0	-100	1	4.0			
120	1	12.0	-300	1	2.0			
110	2	9.0	-400	1	0.0			
-100	3	4.0						
-300	1	0.0						
Total	27	702.0	Total	27	702.0			

Frequence Board: 7

Score	Freq	Value
100	2	51.0
-170	10	39.0
-200	3	26.0
-300	7	16.0
-620	5	4.0
Total	27	702.0

Frequence Board: 8

Score	Freq	Value
170	3	50.0
140	6	41.0
100	2	33.0
-50	3	28.0
-90	1	24.0
-100	2	21.0
-130	1	18.0
-150	4	13.0
-300	2	7.0
-400	1	4.0
-510	1	2.0
-550	1	0.0
Total	27	702.0

Frequence Board: 9

Score	Freq	Value
300	1	52.0
170	4	47.0
140	7	36.0
0	10	19.0
-50	1	8.0
-140	3	4.0
-170	1	0.0
Total	27	702.0

Frequence Board: 10

Score	Freq	Value
730	2	51.0
400	2	47.0
300	3	42.0
200	3	36.0
100	6	27.0
-110	1	20.0
-140	7	12.0
-200	1	4.0
-620	1	2.0
-680	1	0.0
Total	27	702.0

Frequence Board: 11

Score	Freq	Value
50	2	51.0
-110	1	48.0
-120	1	46.0
-150	1	44.0
-180	3	40.0
-300	1	36.0
-400	6	29.0
-430	10	13.0
-460	2	1.0
Total	27	702.0

Frequence Board: 12

Score	Freq	Value
110	7	46.0
90	1	38.0
50	5	32.0
-90	12	15.0
-110	1	2.0
-140	1	0.0
Total	27	702.0

Frequence Board: 13

Score	Freq	Value
200	1	52.0
100	6	45.0
-140	15	24.0
-170	2	7.0
-200	1	4.0
-300	1	2.0
-500	1	0.0

Frequence Board: 14

Score	Freq	Value
50	1	52.0
-400	1	50.0
-420	4	45.0
-430	11	30.0
-450	2	17.0
-460	7	8.0
-490	1	0.0

Frequence Board: 15

Score	Freq	Value
300	1	52.0
150	1	50.0
110	5	44.0
100	1	38.0
0	1	36.0
-100	5	30.0
-110	2	23.0

Résultats Aubonne 2011

Total 27 702.0

Total 27 702.0

-200	7	14.0
-300	2	5.0
-470	1	2.0
-530	1	0.0
Total	27	702.0

Frequence Board: 16

Score	Freq	Value
130	1	52.0
110	1	50.0
100	1	48.0
80	2	45.0
-50	3	40.0
-100	3	34.0
-110	2	29.0
-120	5	22.0
-150	6	11.0
-600	3	2.0
Total	27	702.0

Frequence Board: 17

Score	Freq	Value
180	2	51.0
150	15	34.0
120	8	11.0
90	1	2.0
-80	1	0.0
Total	27	702.0

Frequence Board: 18

Score	Freq	Value
500	4	49.0
300	2	43.0
250	1	40.0
200	2	37.0
150	9	26.0
100	1	16.0
50	6	9.0
-100	1	2.0
-200	1	0.0
Total	27	702.0

Frequence Board: 19

Score	Freq	Value
200	2	51.0
110	9	40.0
100	1	30.0
80	1	28.0
-50	1	26.0
-100	4	21.0
-110	2	15.0
-150	5	8.0
-200	1	2.0
-300	1	0.0
Total	27	702.0

Frequence Board: 20

Score	Freq	Value
100	4	49.0
-140	3	42.0
-170	3	36.0
-200	3	30.0
-500	1	26.0
-620	10	15.0
-790	1	4.0
-800	1	2.0
-1100	1	0.0
Total	27	702.0

Frequence Board: 21

Score	Freq	Value
Average	1	26.0
600	4	48.8
140	3	41.6
110	3	35.3
-100	9	22.9
-200	6	7.3
-300	1	0.0
Total	27	701.8

Frequence Board: 22

Score	Freq	Value
590	1	52.0
420	10	41.0
170	1	30.0
140	8	21.0
-50	6	7.0
-100	1	0.0
Total	27	702.0

Frequence Board: 23

Score	Freq	Value
200	1	52.0
100	1	50.0
-170	3	46.0
-180	1	42.0
-200	4	37.0
-210	1	32.0
-620	9	22.0
-630	2	11.0
-650	5	4.0
Total	27	702.0

Frequence Board: 24

Score	Freq	Value
460	2	51.0
430	1	48.0
400	1	46.0
300	1	44.0
200	2	41.0
150	1	38.0
130	2	35.0
110	2	31.0
100	2	27.0
50	5	20.0
-50	5	10.0
-110	1	4.0
-130	2	1.0

Résultats Aubonne 2011

Total 27 702.0

Frequence Board: 25

Score	Freq	Value
110	1	52.0
100	2	49.0
-100	8	39.0
-110	1	30.0
-120	1	28.0
-140	2	25.0
-150	1	22.0
-170	1	20.0
-300	1	18.0
-500	3	14.0
-600	1	10.0
-620	3	6.0
-630	1	2.0
-650	1	0.0
Total	27	702.0

Frequence Board: 26

Score	Freq	Value
790	1	52.0
620	1	50.0
500	1	48.0
170	1	46.0
140	4	41.0
110	1	36.0
-100	4	31.0
-110	1	26.0
-130	3	22.0
-200	8	11.0
-300	1	2.0
-500	1	0.0
Total	27	702.0

Frequence Board: 27

Score	Freq	Value
250	1	52.0
180	1	50.0
150	5	44.0
140	1	38.0
120	1	36.0
110	1	34.0
100	4	29.0
90	1	24.0
50	6	17.0
-90	3	8.0
-120	3	2.0
Total	27	702.0

Frequence Board: 28

Score	Freq	Value
990	1	52.0
800	1	50.0
660	3	46.0
650	3	40.0
600	2	35.0
500	2	31.0
270	1	28.0
240	1	26.0
200	2	23.0
170	5	16.0
140	1	10.0
130	2	7.0
100	2	3.0
-200	1	0.0
Total	27	702.0

Frequence Board: 29

Score	Freq	Value
300	1	52.0
200	5	46.0
110	1	40.0
100	4	35.0
-90	1	30.0
-100	5	24.0
-110	6	13.0
-140	2	5.0
-170	2	1.0
Total	27	702.0

Frequence Board: 30

Score	Freq	Value
500	1	52.0
150	1	50.0
100	1	48.0
50	2	45.0
-100	2	41.0
-150	2	37.0
-170	1	34.0
-300	3	30.0
-400	12	15.0
-420	2	1.0
Total	27	702.0

Frequence Board: 31

Score	Freq	Value
870	1	52.0
150	1	50.0
100	2	47.0
50	3	42.0
-130	1	38.0
-150	1	36.0
-200	8	27.0
-400	2	17.0
-420	2	13.0
-450	3	8.0
-500	3	2.0

Frequence Board: 32

Score	Freq	Value
100	1	52.0
-110	1	50.0
-170	3	46.0
-200	1	42.0
-620	7	34.0
-630	1	26.0
-650	10	15.0
-680	3	2.0
Total	27	702.0

Frequence Board: 33

Score	Freq	Value
140	3	50.0
120	1	46.0
110	19	26.0
-50	4	3.0
Total	27	702.0

Résultats Aubonne 2011

Total 27 702.0

Frequence Board: 34

Score	Freq	Value
150	1	52.0
100	6	45.0
50	10	29.0
-90	2	17.0
-110	1	14.0
-120	2	11.0
-150	1	8.0
-180	1	6.0
-400	2	3.0
-430	1	0.0
Total	27	702.0

Frequence Board: 35

Score	Freq	Value
200	2	51.0
120	1	48.0
110	1	46.0
100	2	43.0
90	2	39.0
0	9	28.0
-50	5	14.0
-90	1	8.0
-100	4	3.0
Total	27	702.0

Frequence Board: 36

Score	Freq	Value
1100	1	52.0
500	1	50.0
200	3	46.0
100	2	41.0
-110	3	36.0
-140	8	25.0
-170	1	16.0
-200	2	13.0
-300	2	9.0
-400	1	6.0
-500	1	4.0
-730	2	1.0
Total	27	702.0

Frequence Board: 37

Score	Freq	Value
170	3	48.5
140	8	32.0
110	4	14.0
-100	2	5.0
-200	1	0.5
Total	18	468.0

Frequence Board: 38

Score	Freq	Value
430	1	51.5
400	2	47.0
300	2	41.0
200	1	36.5
150	1	33.5
120	2	29.0
100	1	24.5
-50	6	14.0
-100	2	2.0
Total	18	468.0

Frequence Board: 39

Score	Freq	Value
100	7	42.5
-650	9	18.5
-660	1	3.5
-680	1	0.5
Total	18	468.0